



Product Catalogue

for

2022

Contact AVFI for all your Valve Solutions

Melbourne, Sydney, Brisbane, Perth, Hobart, Adelaide, Darwin

Email: sales@avfi.com.au Website: www.avfi.com.au

Phone: 1300 789 256 Fax: 03 8467 0099

Review Date 31/12/2022

We reserve the right to make changes to pricing.
Notice will be given and price lists updated when this occurs.

CONTENTS

Gate Valves	3
Knife Gate Valves	5
Butterfly Valves	6
Check Valves	12
Ball Valves	19
Air Release Valves	26
Vibration Eliminators	29
Dismantling Joints	30
Strainers	31
Globe and Needle Valves	33
Diaphragm Valves	34
Water Meters	35
Solenoid Valves	38
Actuation	39
Actuator Accessories	50
Control Valves	52

For full product details please refer to data sheets on our website:

<http://www.avfi.com.au/valve-range/>

Gate Valves

RSGV-AS APPROVED RESILIENT SEATED GATE VALVE TO AS2638.2

AS2638.2 APPROVED RESILIENT SEATED GATE VALVE FOR SIZES 50-300MM, FBE DUCTILE IRON BODY, PN16 RATED, FLANGED AS4087 CL16 WATERMARK APPROVED FOR SIZES 80-600MM



Options Available

ISO Mount Pad

Electric Actuation

Table E Drilling

Gearbox

ANTI-CLOCKWISE CLOSE

CLOCKWISE CLOSE

DN	AVFI CODE	AVFI CODE
50	RSGV-AS-ACC-KC-050	RSGV-AS-CWC-KC-050
65	RSGV-AS-ACC-KC-065	RSGV-AS-CWC-KC-065
80	RSGV-AS-ACC-KC-080	RSGV-AS-CWC-KC-080
100	RSGV-AS-ACC-KC-100	RSGV-AS-CWC-KC-100
150	RSGV-AS-ACC-KC-150	RSGV-AS-CWC-KC-150
200	RSGV-AS-ACC-KC-200	RSGV-AS-CWC-KC-200
225	RSGV-AS-ACC-KC-225	RSGV-AS-CWC-KC-225
250	RSGV-AS-ACC-KC-250	RSGV-AS-CWC-KC-250
300	RSGV-AS-ACC-KC-300	RSGV-AS-CWC-KC-300
375	RSGV-AS-ACC-KC-375	RSGV-AS-CWC-KC-375
400	RSGV-AS-ACC-KC-400	RSGV-AS-CWC-KC-400
450	RSGV-AS-ACC-KC-450	RSGV-AS-CWC-KC-450
500	RSGV-AS-ACC-KC-500	RSGV-AS-CWC-KC-500
600	RSGV-AS-ACC-KC-600	RSGV-AS-CWC-KC-600

HANDWHEEL PRICE ONLY - OPTIONAL

DN	AVFI CODE
50/65	RSGV-AS-HW-050/065
80/100	RSGV-AS-HW-080/100
125/150	RSGV-AS-HW-125/150
200/225	RSGV-AS-HW-200/225
250/300	RSGV-AS-HW-250/300
350/375	RSGV-AS-HW-350/375
400/450	RSGV-AS-HW-400
500/600	RSGV-AS-HW-500/600

Gate Valves

RSGV-AS APPROVED RESILIENT SEATED GATE VALVE TO AS2638.2

AS2638.2 APPROVED RESILIENT SEATED GATE VALVE FOR SIZES 50-300MM, FBE DUCTILE IRON BODY, PN16 RATED, FLANGED AS4087 CL16 WATERMARK APPROVED FOR SIZES 80-600MM, ISO MOUNT PAD

DN	ANTI-CLOCKWISE CLOSE	CLOCKWISE CLOSE
	AVFI CODE	AVFI CODE
100	RSGV-AS-ISO-ACC-100	RSGV-AS-ISO-CWC-100
150	RSGV-AS-ISO-ACC-150	RSGV-AS-ISO-CWC-150
200	RSGV-AS-ISO-ACC-200	RSGV-AS-ISO-CWC-200
250	RSGV-AS-ISO-ACC-250	RSGV-AS-ISO-CWC-250
300	RSGV-AS-ISO-ACC-300	RSGV-AS-ISO-CWC-300

VTGA STAINLESS STEEL GATE VALVE

316 STAINLESS STEEL BSP THREADED GATE VALVE, NON-RISING STEM & HANDWHEEL, 200PSI @20 Deg C



DN	AVFI CODE
15	VTGA-316-PP-015
20	VTGA-316-PP-020
25	VTGA-316-PP-025
32	VTGA-316-PP-032
40	VTGA-316-PP-040
50	VTGA-316-PP-050

VT-GAF STAINLESS STEEL GATE VALVE

316 STAINLESS STEEL ANSI 150 FLANGED GATE VALVE, NON-RISING STEM & HANDWHEEL, FULL BORE.



Available on Request

ANSI 300

DN	AVFI CODE
25	VT-GAF-150-025
40	VT-GAF-150-040
50	VT-GAF-150-050
65	VT-GAF-150-065
80	VT-GAF-150-080
100	VT-GAF-150-100

Knife Gate Valves

KGV-XDV-UDH LUGGED STAINLESS STEEL KNIFE GATE VALVE

PN10 RATED, RESILIENT SEATED (Viton), SS316 STAINLESS STEEL KNIFE GATE VALVE, LUGGED TO SUIT AS4087 CL16, HANDWHEEL OPERATED, RISING STEM, SS316 DISC, SS304 YOKE, SS304 STEM.



Available on Request

Non-rising stem

Chain Wheel

Spindle

Extensions

Spindle Image



DN	AVFI CODE
50	KGV-XDV-UDH-050
65	KGV-XDV-UDH-065
80	KGV-XDV-UDH-080
100	KGV-XDV-UDH-100
125	KGV-XDV-UDH-125
150	KGV-XDV-UDH-150
200	KGV-XDV-UDH-200
225	KGV-XDV-UDH-225
250	KGV-XDV-UDH-250
300	KGV-XDV-UDH-300
350	KGV-XDV-UDH-350
375	KGV-XDV-UDH-375
400	KGV-XDV-UDH-400
450	KGV-XDV-UDH-450
500	KGV-XDV-UDH-500
600	KGV-XDV-UDH-600
700	KGV-XDV-UDH-700
750	KGV-XDV-UDH-750
800	KGV-XDV-UDH-800
900	KGV-XDV-UDH-900
1000	KGV-XDV-UDH-1000
1200	KGV-XDV-UDH-1200

Butterfly Valves

AB30 WATERMARK BUTTERFLY VALVE WITH LEVER WAFER AND TABLE E

BUTTERFLY VALVE, WATERMARK, DUCTILE IRON FBE BODY, SS316 DISC, EPDM LINER, PN16 RATED, LUGGED TABLE E OR WAFER



Available on Request

Viton Seal

NBR Seal



DN	WAFER	LUGGED T/E
	AVFI CODE	AVFI CODE
50	AB30W-050-WM	AB30L-050-WM
65	AB30W-065-WM	AB30L-065-WM
80	AB30W-080-WM	AB30L-080-WM
100	AB30W-100-WM	AB30L-100-WM
125	AB30W-125-WM	AB30L-125-WM
150	AB30W-150-WM	AB30L-150-WM
200	AB30W-200-WM	AB30L-200-WM
250	AB30W-250-WM	AB30L-250-WM
300	AB30W-300-WM	AB30L-300-WM

AB30 WATERMARK BUTTERFLY VALVE WITH GEARBOX WAFER AND TABLE E

BUTTERFLY VALVE, WATERMARK APPROVED, DUCTILE IRON FBE BODY, SS316 DISC, EPDM LINER, PN16 RATED, FITTED WITH GEARBOX, WAFER OR LUGGED TABLE E



DN	WAFER	LUGGED T/E
	AVFI CODE	AVFI CODE
80	AB30W-080+GB-WM	AB30L-080+GB-WM
100	AB30W-100+GB-WM	AB30L-100+GB-WM
150	AB30W-150+GB-WM	AB30L-150+GB-WM
200	AB30W-200+GB-WM	AB30L-200+GB-WM
250	AB30W-250+GB-WM	AB30L-250+GB-WM
300	AB30W-300+GB-WM	AB30L-300+GB-WM

Available on Request

Viton Seal

NBR Seal

Butterfly Valves

AB10 PN10 BUTTERFLY VALVE WITH GEARBOX WAFER AND TABLE E

BUTTERFLY VALVE, CAST RON FBE BODY, SS316 DISC,
EPDM LINER, PN10 RATED, FITTED WITH GEARBOX,
LUGGED TABLE E OR WAFER



Available on Request

PN16

NBR Seal

Viton Seal

DN	WAFER	LUGGED T/E
	AVFI CODE	AVFI CODE
350	AB10W-350-PN10	AB10L-350-PN10
400	AB10W-400-PN10	AB10L-400-PN10
450	AB10W-450-PN10	AB10L-450-PN10
500	AB10W-500-PN10	AB10L-500-PN10
600	AB10W-600-PN10	AB10L-600-PN10
700-1200	AB10W-SIZE**	N/A

AB10 PN16 BUTTERFLY VALVE WITH GEARBOX WAFER AND TABLE E

BUTTERFLY VALVE, CAST RON FBE BODY, SS316 DISC,
EPDM LINER, PN10 RATED, FITTED WITH GEARBOX,
LUGGED TABLE E OR WAFER



Available on Request

NBR Seal

Viton Seal

DN	WAFER	LUGGED T/E
	AVFI CODE	AVFI CODE
350	AB10W-350-PN16	AB10L-350-PN16
400	AB10W-400-PN16	AB10L-400-PN16
450	AB10W-450-PN16	AB10L-450-PN16
500	AB10W-500-PN16	AB10L-500-PN16
600	AB10W-600-PN16	AB10L-600-PN16
700-1200	AB10W-SIZE	N/A

*Available on request

AB30 WATERMARK BUTTERFLY VALVE WITH LEVER TABLE D

BUTTERFLY VALVE, WATERMARK, DUCTILE IRON FBE
BODY, SS316 DISC, EPDM LINER, PN16 RATED, LUGGED
TABLE D



Available on Request

Viton Seal

NBR Seal



DN	AVFI CODE
50	AB30L-050-WM
65	AB30L-065-WM
80	AB30L-080-WM
100	AB30L-100-WM-D
125	AB30L-125-WM
150	AB30L-150-WM-D
200	AB30L-200-WM-D
250	AB30L-250-WM-D
300	AB30L-300-WM-D

Butterfly Valves

AB30 WATERMARK BUTTERFLY VALVE WITH GEARBOX TABLE D

BUTTERFLY VALVE, WATERMARK, DUCTILE IRON FBE BODY, SS316 DISC, EPDM LINER, PN16 RATED, LUGGED TABLE D , FITTED WITH GEARBOX



Available on Request

Viton Seal

NBR Seal



DN	AVFI CODE
80	AB30L-080+GB-WM
100	AB30L-100+GB-WM-D
150	AB30L-150+GB-WM-D
200	AB30L-200+GB-WM-D
250	AB30L-250+GB-WM-D
300	AB30L-300+GB-WM-D

Butterfly Valves

AB-GB GEARBOX TO SUIT AB SERIES BUTTERFLY VALVE

ALUMINIUM GEARBOX WITH STAINLESS STEEL SPINDLE TO SUIT AB SERIES BUTTERFLY VALVES



DN	AVFI CODE
050/150	AB-GB-050/150*
200	AB-GB-200*
250/300	AB-GB-250/300*

AB13F DOUBLE FLANGED SEAL ON BODY BUTTERFLY VALVE TO AS4795

DOUBLE FLANGED BUTTERFLY VALVE WITH EN558-1 13 SERIES FACE TO FACE, DUCTILE IRON BODY, FLANGES DRILLED TO AS4087 PN16, SS316 DISC, SS431 STEM, EPDM SEAT, SS316 FASTENERS, PN16 RATED

DN	AVFI CODE
80	AB13F-0080
80	AB13F-0080-LEVER
100	AB13F-0100
100	AB13F-0100-LEVER
125	AB13F-0125
125	AB13F-0125-LEVER
150	AB13F-0150
150	AB13F-0150-LEVER
200	AB13F-0200
200	AB13F-0200-LEVER
250	AB13F-0250
300	AB13F-0300
375	AB13F-0375
400	AB13F-0400
450	AB13F-0450
500	AB13F-0500
600	AB13F-0600AS
700-2000	AB13F-SIZE

Available on Request

Different body materials

Different seat materials

Long Body Design



Butterfly Valves

D-AV-2010 SERIES DOUBLE FLANGED SEAL ON DISC BUTTERFLY VALVE

PN 16 SEAL ON DISC BUTTERFLY VALVE, DOUBLE FLANGED BUTTERFLY VALVE, DOUBLE ECCENTRIC DESIGNED DISC, AS4087 FLANGED, FITTED WITH GEARBOX, TESTED TO AS4795, LONG BODY DESIGN



Options Available

Anti-clockwise close

Clockwise Close

DN	AVFI CODE
200	D-AV-2010-200-16
250	D-AV-2010-250-16
300	D-AV-2010-300-16
350	D-AV-2010-350-16
400	D-AV-2010-400-16
450	D-AV-2010-450-16
500	D-AV-2010-500-16
600	D-AV-2010-600-16
700	D-AV-2010-700-16
850-2000	D-AV-2160-SIZE-16

FFKOA FIP INDUSTRIAL PP/ABS BUTTERFLY VALVE

FIP ABS DISC / PP BODY TABLE D/E/ANSI WAFER BUTTERFLY VALVE, EPDM LINED, PN16 RATED @ 20°C LEVER OPERATED, ISO MOUNT.



Available on Request

Viton Seal

U-PVC Disc

C-PVC Disc

PP-H Disc

PVDF Disc

DN	AVFI CODE
50	FFKOA 630
65	FFKOA 750
80	FFKOA 900
100	FFKOA 910
150	FFKOA 940
200	FFKOA 960
250*	FFKOA 970-G/BOX
300*	FFKOA 980-G/BOX

*DRILLED TABLE E

Butterfly Valves

FFEOV UPVC WAFER BUTTERFLY

FIP UPVC BODY & DISC, EPDM LINED TABLE D/E/ANSI
WAFER BUTTERFLY VALVE, LEVER OPERATED, ISO MOUNT.
PN16 RATED @ 20°C



Available on Request

Viton Seal

DN	AVFI CODE
50	FFEOV 630
65	FFEOV 750
80	FFEOV 900
100	FFEOV 910
150	FFEOV 940
200	FFEOV 960
250*	FFEOV 970-G/BOX
300*	FFEOV 980-G/BOX

*DRILLED TABLE E

Check Valves

ACB-100 DUCTILE IRON BALL CHECK VALVE

BALL CHECK, FBE COATED DUCTILE IRON BODY, AS4087 CL16 FLANGED, PN16 RATED, SS316 FASTENERS, SS304 NUTS, NITRILE COATED BALL



DN	AVFI CODE
50 BSP	ACB-100-050-BSP
50	ACB-100-050
65	ACB-100-065
80	ACB-100-080
100	ACB-100-100
125	ACB-100-125
150	ACB-100-150
200	ACB-100-200
250	ACB-100-250
300	ACB-100-300
350*	ACB-100-350
400*	ACB-100-400
500*	ACB-100-500

**Available on request*

AC10 CAST IRON WAFER DUO CHECK VALVES

FBE CAST IRON DUO CHECK VALVE, WAFER BODY TO SUIT T/D FLANGES, FITTED WITH 316 STAINLESS STEEL DISC & SPRING, WITH EPDM SEAT, PN16 RATED



DN	AVFI CODE
50	AC10-050
65	AC10-065
80	AC10-080
100	AC10-100
125	AC10-125
150	AC10-150
200	AC10-200
250	AC10-250
300	AC10-300
350	AC10-350
400	AC10-400
450	AC10-450
500	AC10-500
600	AC10-600

Check Valves

AC31 CAST IRON WAFER SINGLE FLAP CHECK VALVE

FBE CAST IRON SINGLE FLAP CHECK VALVE, WAFER BODY TO SUIT AS4807 CL16 FLANGES, FITTED WITH STAINLESS STEEL DISC & SPRING, WITH EPDM SEAL, PN16 RATED



DN	AVFI CODE
50	AC31-050
65	AC31-065
80	AC31-080
100	AC31-100
125	AC31-125
150	AC31-150
200	AC31-200
250	AC31-250
300	AC31-300
350*	AC31-350
400*	AC31-400
450*	AC31-450
500*	AC31-500
600*	AC31-600

**Available on request*

RSFC RESILIENT SEATED FLEX CHECK VALVE ACCORDING TO AS4794

FLEX CHECK VALVE WITH 316SS FASTENERS, DUCTILE IRON BODY, RESICOAT R4-ES COATED, DRILLED TO AS4087 CL16



Available on Request

EPDM

DN	AVFI CODE
80	RSFC-080(NBR)
100	RSFC-100(NBR)
150	RSFC-150(NBR)
200	RSFC-200(NBR)
250	RSFC-250(NBR)
300	RSFC-300(NBR)
350	RSFC-350(NBR)
375	RSFC-375(NBR)
450	RSFC-450(NBR)

Check Valves

RSSC RESILIENT SEATED SWING CHECK VALVE ACCORDING TO AS4794

SWING CHECK VALVE WITH SS16 FASTENERS, DUCTILE IRON BODY, NBR DISC, FITTED WITH LEVER AND WEIGHT, DRILLED TO AS 4087 CL16, PN16 RATED



DN	AVFI CODE
80	RSSC-080
100	RSSC-100
150	RSSC-150
200	RSSC-200
250	RSSC-250
300	RSSC-300

Available on Request

Position Switch

Lever Guard

D-AV-4010 SERIES DOUBLE FLANGED TILTING TYPE CHECK VALVE

PN 16 SEAL ON DISC TILTING TYPE CHECK VALVE, LONG BODY DESIGN, DOUBLE ECCENTRIC DESIGNED DISC, AS4087 FLANGED, FITTED WITH GEARBOX



Available on Request

Hydraulic Damper

Rubber Lining

DN	AVFI CODE
150	D-AV-4010-0150-16
200	D-AV-4010-0200-16
250	D-AV-4010-0250-16
300	D-AV-4010-0300-16
350	D-AV-4010-0350-16
400	D-AV-4010-0400-16
450	D-AV-4010-0450-16
500	D-AV-4010-500-16
600-1400	D-AV-4010-SIZE-16

Check Valves

FSX FIP BALL CHECK VALVE

FIP U-PVC TRUE UNION SXE SERIES BALL CHECK VALVE
PN16 RATED (@20°C) EPDM O-RINGS



Available on Request

Viton Seals

C-PVC Body

SOLVENT WELD

BSP

DN	AVFI CODE	AVFI CODE
15	FSXELV 200	FSXEFV 200
20	FSXELV 250	FSXEFV 250
25	FSXELV 320	FSXEFV 320
32	FSXELV 400	FSXEFV 400
40	FSXELV 500	FSXEFV 500
50	FSXELV 630	FSXEFV 630
80	FSXELV 900	N/A

FVR FIP PVC ANGLE CHECK VALVE

FIP U-PVC TRUE UNION VR CHECK VALVE PN16 RATED
(@20°C) EPDM O-RINGS



Available on Request

Viton Seals

PP-H Body

SOLVENT WELD

BSP

DN	AVFI CODE	AVFI CODE
10	FVRULV 160	FVRUFV 160
15	FVRULV 200	FVRUFV 200
20	FVRULV 250	FVRUFV 250
25	FVRULV 320	FVRUFV 320
32	FVRULV 400	FVRUFV 400
40	FVRULV 500	FVRUFV 500
50	FVRULV 630	FVRUFV 630
65	N/A	FRVFT 750
80	N/A	FRVFT 900
100	N/A	FRVFT 910

Check Valves

FCROV UPVC WAFER SWING CHECK VALVE

WAFER SWING CHECK VALVE, UPVC BODY & FLAP WITH EPDM SEAT AND SEALS, PN5 RATED @ 20°C



Available on Request

Viton Seals

DN	AVFI CODE
50	FCROV063E
65	FCROV075E
80	FCROV090E
100	FCROV110E
125	FCROV140E
150	FCROV160E
200	FCROV225E
250	FCROV280E
300	FCROV315E

V3WC STAINLESS STEEL THREE PIECE CHECK VALVE

316 STAINLESS STEEL BSP 3 PIECE CHECK VALVE. SPRING LOADED, 600 PSI.



DN	AVFI CODE
8	V3WC-316-PP-008
10	V3WC-316-PP-010
15	V3WC-316-PP-015
20	V3WC-316-PP-020
25	V3WC-316-PP-025
32	V3WC-316-PP-032
40	V3WC-316-PP-040
50	V3WC-316-PP-050

VTC STAINLESS STEEL SWING CHECK VALVE

316 STAINLESS STEEL BSP SWING CHECK VALVE. 200 PSI



DN	AVFI CODE
15	VTC-316-PP-015
20	VTC-316-PP-020
25	VTC-316-PP-025
32	VTC-316-PP-032
40	VTC-316-PP-040
50	VTC-316-PP-050
65	VTC-316-PP-065
80	VTC-316-PP-080

Check Valves

VT-WCF STAINLESS STEEL FLANGED SWING CHECK VALVE

316 STAINLESS STEEL ANSI 150 FLANGES SWING CHECK VALVE.



Available on Request

ANSI 300

DN	AVFI CODE
25	VT-WCF-150-025
40	VT-WCF-150-040
50	VT-WCF-150-050
65	VT-WCF-150-065
80	VT-WCF-150-080
100	VT-WCF-150-100
150	VT-WCF-150-150
200	VT-WCF-150-200

Check Valves

VTWC STAINLESS STEEL WAFER SPRING CHECK VALVE

316 STAINLESS STEEL 1 PIECE WAFER DISC (SPRING LOADED) CHECK VALVE. PN 40



DN	AVFI CODE
15	VTWC-316-015
20	VTWC-316-020
25	VTWC-316-025
32	VTWC-316-032
40	VTWC-316-040
50	VTWC-316-050
65	VTWC-316-065
80	VTWC-316-080
100	VTWC-316-100

V-MP05 STAINLESS STEEL DUO CHECK VALVE

316 STAINLESS STEEL DUO CHECK VALVE. METAL SEAT. WAFER TO SUIT ANSI 150.



Available on Request

Soft Seat

DN	AVFI CODE
40	V-MP05-040
50	V-MP05-050
65	V-MP05-065
80	V-MP05-080
100	V-MP05-100
150	V-MP05-150
200	V-MP05-200
250	V-MP05-250
300-600	V-MP05-SIZE

Ball Valve

FVEE FIP 2 WAY FULL BORE UPVC BALL VALVE

FIP EASYFIT VEE SERIES TWO WAY FULL BORE BALL VALVE, DOUBLE UNION ENDS, UPVC BODY, EPDM O-RINGS, PE BALL SEAT, HANDLE OPERATED, PN16@20°



Available on Request

Viton Seals

SOLVENT WELD

BSP

DN	AVFI CODE	AVFI CODE
10	FVEELV 160	FVEEFV 160
15	FVEELV 200	FVEEFV 200
20	FVEELV 250	FVEEFV 250
25	FVEELV 320	FVEEFV 320
32	FVEELV 400	FVEEFV 400
40	FVEELV 500	FVEEFV 500
50	FVEELV 630	FVEEFV 630
65	FVEELV 750	FVEEFV 750
80	FVEELV 900	FVEEFV 900
100	FVEELV 910	FVEEFV 910

FVKD FIP UPVC TESTED CHEMICAL 2 WAY BALL VALVE

FIP U-PVC DOUBLE UNION VKD SERIES BALL VALVE PN16 RATED WITH PTFE SEAT AND EPDM O-RINGS LEVER OPERATED



Available on Request

Viton Seals

C-PVC Body

PVDF Body

PP Body

Lockable Handle

ISO Mount

SOLVENT WELD

BSP

DN	AVFI CODE	AVFI CODE
10	FVKDLV 160	FVKDFV 160
15	FVKDLV 200	FVKDFV 200
20	FVKDLV 250	FVKDFV 250
25	FVKDLV 320	FVKDFV 320
32	FVKDLV 400	FVKDFV 400
40	FVKDLV 500	FVKDFV 500
50	FVKDLV 630	FVKDFV 630
65	FVKDLV 750	FVKDFV 750
80	FVKDLV 900	FVKDFV 900
100	FVKDLV 910	FVKDFV 910

Ball Valve

FVX FIP ABS SOLVENT WELD 2 WAY BALL VALVE



Available on Request

Viton Seals

DN	AVFI CODE
15	FVXELA 200
20	FVXELA 250
25	FVXELA 320
32	FVXELA 400
40	FVXELA 500
50	FVXELA 630

FVX FIP ABS SOLVENT WELD 2 WAY BALL VALVE WITH VITON SEALS



DN	AVFI CODE
15	FVXELA-VIT-200
20	FVXELA-VIT-250
25	FVXELA-VIT-320
32	FVXELA-VIT-400
40	FVXELA-VIT-500
50	FVXELA-VIT-630

FTKD FIP UVPC TESTED CHEMICAL 3 WAY BALL VALVE T-PORT

FIP U-PVC TRUE UNION TKD SERIES BALL VALVE PN16
RATED WITH PTFE SEATS AND EPDM O-RINGS LEVER
OPERATED T-PORT



Available on Request

Viton Seals

C-PVC Body

PVDF Body

PP Body

Lockable Handle

ISO Mount

DN	SOLVENT WELD	BSP
	AVFI CODE	AVFI CODE
10	FTKLV T 160	FTKFV T 160
15	FTKLV T 200	FTKFV T 200
20	FTKLV T 250	FTKFV T 250
25	FTKLV T 320	FTKFV T 320
32	FTKLV T 400	FTKFV T 400
40	FTKLV T 500	FTKFV T 500
50	FTKLV T 630	FTKFV T 630

Ball Valve

FTKD FIP UVPC TESTED CHEMICAL 3 WAY BALL VALVE L-PORT

FIP U-PVC TRUE UNION TKD SERIES BALL VALVE PN16
RATED WITH PTFE SEATS AND EPDM O-RINGS LEVER
OPERATED L-PORT



Available on Request

Viton Seals

C-PVC Body

PVDF Body

PP Body

Lockable Handle

ISO Mount

SOLVENT WELD

BSP

DN	AVFI CODE	AVFI CODE
10	FTKLV L 160	FTKFV L 160
15	FTKLV L 200	FTKFV L 200
20	FTKLV L 250	FTKFV L 250
25	FTKLV L 320	FTKFV L 320
32	FTKLV L 400	FTKFV L 400
40	FTKLV L 500	FTKFV L 500
50	FTKLV L 630	FTKFV L 630

Ball Valve

V1 STAINLESS STEEL 1 PIECE BALL VALVE

BSP 1 PIECE STAINLESS STEEL BALL VALVE BSP 1000 PSI
REDUCED BORE LEVER OPERATED WITH LOCKING DEVICE.
316 SS.



DN	AVFI CODE
8	V1-316-PP-008
10	V1-316-PP-010
15	V1-316-PP-015
20	V1-316-PP-020
25	V1-316-PP-025
32	V1-316-PP-032
40	V1-316-PP-040
50	V1-316-PP-050

V2 STAINLESS STEEL 2 PIECE BALL VALVE

BSP 2 PIECE STAINLESS STEEL BALL VALVE BSP 1000 PSI
FULL BORE LEVER OPERATED WITH LOCKING DEVICE. 316
SS.



DN	AVFI CODE
8	V2-316-PP-008
10	V2-316-PP-010
15	V2-316-PP-015
20	V2-316-PP-020
25	V2-316-PP-025
32	V2-316-PP-032
40	V2-316-PP-040
50	V2-316-PP-050
65	V2-316-PP-065
80	V2-316-PP-080

Ball Valve

V3 STAINLESS STEEL 3 PIECE BALL VALVE

BSP 3 PIECE STAINLESS STEEL BALL VALVE BSP 1000 PSI
FULL BORE LEVER OPERATED WITH LOCKING DEVICE. 316
SS.



DN	AVFI CODE
8	V3-316-PP-008
10	V3-316-PP-010
15	V3-316-PP-015
20	V3-316-PP-020
25	V3-316-PP-025
32	V3-316-PP-032
40	V3-316-PP-040
50	V3-316-PP-050
65	V3-316-PP-065
80	V3-316-PP-080
100	V3-316-PP-100

V3MH STAINLESS STEEL 3 PIECE BALL VALVE WITH ISO MOUNT

BSP 3 PIECE STAINLESS STEEL BALL VALVE BSP 1000 PSI
FULL BORE LEVER OPERATED WITH LOCKING DEVICE AND
ISO DIRECT MOUNT. 316 SS.



Available on Request

V Port

DN	AVFI CODE
15	V3MH-316-PP-015
20	V3MH-316-PP-020
25	V3MH-316-PP-025
32	V3MH-316-PP-032
40	V3MH-316-PP-040
50	V3MH-316-PP-050
65	V3MH-316-PP-065
80	V3MH-316-PP-080
100	V3MH-316-PP-100

Ball Valve

V3WMHFS STAINLESS STEEL FIRE SAFE BALL VALVE WITH ISO MOUNT

BSP 3 PIECE 2000 PSI FULL BORE 316 STAINLESS STEEL BALL VALVE FITTED WITH TFM1600 (250°C) SEAT AND SEALS. FIRE SAFE DESIGN, ISO MOUNT



Available on Request

Fire Safe Approved

DN	AVFI CODE
15	V3WMHFS-316-PP-15
20	V3WMHFS-316-PP-20
25	V3WMHFS-316-PP-25
32	V3WMHFS-316-PP-32
40	V3WMHFS-316-PP-40
50	V3WMHFS-316-PP-50
65	V3WMHFS-316-PP-65
80	V3WMHFS-316-PP-80
100	V3WMHFS-316-PP-100

V3WAY STAINLESS STEEL 3 WAY BALL VALVE

BSP 3 WAY REDUCED BORE 316 STAINLESS STEEL BALL VALVE, 1000 PSI, LEVER OPERATED WITH LOCKING DEVICE.



DN	L PORT	T PORT
	AVFI CODE	AVFI CODE
65	V3WAY-L-316-065	V3WAY-T-316-065
80	V3WAY-L-316-080	V3WAY-L-316-080

3WAY-PPMH STAINLESS STEEL 3 WAY BALL VALVE WITH ISO MOUNT

BSP 3 WAY REDUCED BORE 316 STAINLESS STEEL BALL VALVE, 1000 PSI, LEVER OPERATED WITH LOCKING DEVICE.



DN	L PORT	T PORT
	AVFI CODE	AVFI CODE
15	3WAYL-PPMH-015	3WAYT-PPMH-015
20	3WAYL-PPMH-020	3WAYT-PPMH-020
25	3WAYL-PPMH-025	3WAYT-PPMH-025
32	3WAYL-PPMH-032	3WAYT-PPMH-032
40	3WAYL-PPMH-040	3WAYT-PPMH-040
50	3WAYL-PPMH-050	3WAYT-PPMH-050

Ball Valve

V2FH STAINLESS STEEL FLANGED BALL VALVE WITH ISO MOUNT*

2 PIECE ANSI RATED FULL BORE BALL VALVE, LEVER OPERATED, ANTI-STATIC DEVICE, DRILLED TABLE D, ISO MOUNT PAD, 316 SS



Available on Request

ANSI 300

Table D Drilling

Table E & ANSI 150 Drilling

DN	AVFI CODE
15	V2FH-316-150-015
20	V2FH-316-150-020
25	V2FH-316-150-025
40	V2FH-316-150-040
50	V2FH-316-150-050
65	V2FH-316-150-065
80	V2FH-316-150-080
100	V2FH-316-150-100
150	V2FH-316-150-150
200	V2FH-316-150-200
250-300 '2FH-316-150-250 OR 30	

***PLEASE SELECT DRILLING PATTERN WHEN ORDERING**

3WAY STAINLESS STEEL FLANGED 3 WAY BALL VALVE WITH ISO MOUNT

3 WAY ANSI 150 FLANGED FULL BORE BALL VALVE, LEVER OPERATED, ANTI-STATIC DEVICE, FIRE SAFE DESIGN, ISO MOUNT PAD. 316 SS



DN	L PORT	T PORT
	AVFI CODE	AVFI CODE
50	3WAY-L-316-150-050	3WAY-T-316-150-050
65	3WAY-L-316-150-065	3WAY-T-316-150-065
80	3WAY-L-316-150-080	3WAY-T-316-150-080
100	3WAY-L-316-150-100	3WAY-T-316-150-100

Air Release Valves

ARV BSP PLASTIC AIR RELEASE VALVE

PN 16, BSP AIR RELEASE VALVE, BSP THREADED OUTLET, FIBREGLASS-REINFORCED POLYAMIDE BODY



Options Available

15mm and 20mm Bases

NPT Base

Seal Kits to Suit

AUTOMATIC

DN	AVFI CODE
25	ARV-1-A

KINETIC

DN	AVFI CODE
25	ARV-1-K
50	ARV-2-K

COMBINATION

DN	AVFI CODE
25	ARV-1-KA
50	ARV-2-KA

DAV-MP DOROT BSP AIR RELEASE VALVE

PN 25, BSP AUTOMATIC AIR RELEASE VALVE, CAST IRON BODY



AUTOMATIC

DN	AVFI CODE
25	DAV-MP-1-A

COMBINATION

DN	AVFI CODE
25	DAV-MP-1-KA
50	DAV-MP-2-KA

Air Release Valves

DAV-MS-KA DUCTILE IRON AIR RELEASE VALVE

PN16 DAV STANDARD BORE AIR RELEASE VALVE TO SUIT
AS4087 CL16 FLANGES



Available on Request

High flow option

Surge Arrestor

DN	AVFI CODE
50 BSP	DAV-MS-2-BSP
80	DAV-MS-KA-080-16
100	DAV-MS-KA-100-16
150	DAV-MS-KA-150-16

DAV-MH-KA DUCTILE IRON AIR RELEASE VALVE

PN16 DAV FULL BORE AIR RELEASE VALVE TO SUIT AS4087
CL16 FLANGES



Available on Request

PN25 (to suit

PN35 AS4087 flanges)

Surge Arrestor

DN	AVFI CODE
50	DAV-MH-KA-050-16
80	DAV-MH-KA-080-16
100	DAV-MH-KA-100-16
150	DAV-MH-KA-150-16

Air Release Valves

ARV-3-N 316 STAINLESS STEEL SEWER AIR RELEASE VALVE

316L STAINLESS STEEL BODY, PN 16 RATED,
TABLE D DRILLING



Available on Request

ANSI 150 Drilling

Table E Drilling

DN	AVFI CODE
50 BSP	ARV-3-N-050 BSP
50	ARV-3-N-050 T/D
80	ARV-3-N-080 T/D
100	ARV-3-N-100 T/D
150	ARV-3-N-150 T/D
200	ARV-3-N-200

ARV-4-N BSP AIR RELEASE VALVE FOR WASTEWATER SYSTEMS

316 STAINLESS STEEL BODY, STAINLESS STEEL FLOAT,
PN10, SUITABLE FOR COAL SEAM GAS PIPELINES



Available on Request

Flanged

PN 16

DN	AVFI CODE
25	ARV-4-N-25
50	ARV-4-N-50

Vibration Eliminators

ASF10 VIBRATION ELIMINATORS TABLE E

FLANGED TABLE E SINGLE SPHERE RUBBER EXPANSION JOINT/ VIBRATION ELIMINATORS, EPDM TUBE, MILD STEEL FLANGES, PN16 RATED



Available on Request

Viton

Stainless Steel Flanges

Table D

DN	AVFI CODE
50	ASF10-050
65	ASF10-065
80	ASF10-080
100	ASF10-100
125	ASF10-125
150	ASF10-150
200	ASF10-200
250	ASF10-250
300	ASF10-300

ASF10 VIBRATION ELIMINATORS E / DIN

FLANGED TABLE E TO DIN SINGLE SPHERE RUBBER EXPANSION JOINT/ VIBRATION ELIMINATORS, EPDM TUBE, MILD STEEL FLANGES, PN16 RATED



Available on Request

Viton

Stainless Steel Flanges

Table D

DN	AVFI CODE
50	ASF10-050-DIN X TE
65	ASF10-065-DIN X TE
80	ASF10-080-DIN X TE
100	ASF10-100-DIN X TE
125	ASF10-125-DIN X TE
150	ASF10-150-DIN X TE
200	ASF10-200-DIN X TE
250	ASF10-250-DIN X TE

Dismantling Joints

AFD10-SS THRUST TYPE DISMANTLING JOINT


TABLE D, DUCTILE IRON, EPOXY COATED, STAINLESS STEEL BOLTS AND NUTS, PN16, COMBINED TIE RODS



DN	AVFI CODE
80	AFD10-SS-0080
100	AFD10-SS-0100
150	AFD10-SS-0150
200	AFD10-SS-0200
250	AFD10-SS-0250
300	AFD10-SS-0300
350-1200	AVAILABLE ON REQUEST

Unrestrained

Restrained (thrust type)



AFD20-SS THRUST TYPE DISMANTLING JOINT

TABLE D, DUCTILE IRON, EPOXY COATED, STAINLESS STEEL BOLTS AND NUTS, PN16, INDIVIDUAL TIE RODS



Figure 5. Restrained AFD20 Dismantling Joint



Figure 6. Unrestrained AFD20 Dismantling Joint



DN	AVFI CODE
80	AFD20-SS-080
100	AFD20-SS-100
150	AFD20-SS-150
200	AFD20-SS-200
250	AFD20-SS-250
300	AFD20-SS-300
350	AFD20-SS-350
375	AFD20-SS-375
400	AFD20-SS-400
450	AFD20-SS-450
500	AFD20-SS-500
600	AFD20-SS-600
600-1200	AVAILABLE ON REQUEST

Strainers

VTY STAINLESS STEEL BSP Y STRAINER

Y STRAINER, 316 STAINLESS STEEL, BSPP ENDS, 800PSI, SCREEN 1.0MM HOLE DIAMETER, DRAIN PLUG



DN	AVFI CODE
8	VTY-316-PP-008
10	VTY-316-PP-010
15	VTY-316-PP-015
20	VTY-316-PP-020
25	VTY-316-PP-025
32	VTY-316-PP-032
40	VTY-316-PP-040
50	VTY-316-PP-050
65	VTY-316-PP-065
80	VTY-316-PP-080

VT-YF STAINLESS STEEL FLANGED Y STRAINER*

ANSI-150 FLANGED AND RATED, UNDRILLED FLANGES, 316 STAINLESS STEEL Y STRAINER (WITH 2.0MM PERFORATED HOLE SCREEN)



Drilling Options*

Table E Drilling

ANSI150 Drilling

Table D Drilling

DN	AVFI CODE
50	VT-YF-316-150-050
65	VT-YF-316-150-065
80	VT-YF-316-150-080
100	VT-YF-316-150-100
150	VT-YF-316-150-150
200	VT-YF-316-150-200
250	VT-YF-316-150-250
300	VT-YF-316-150-300

***PLEASE SELECT DRILLING PATTERN WHEN ORDERING**

Strainers

AS105F CAST IRON Y STRAINER

FBE CAST IRON Y STRAINER FLANGED TABLE D/E, SS304 WOVEN MESH SCREEN, PN16 RATED, SS304 PLUG, SS304 STUDS, SS304 NUTS, FLEXIBLE GRAPHITE GASKET



DN	AVFI CODE
50	AS105F-050
65	AS105F-065
80	AS105F-080
100	AS105F-100
125	AS105F-125
150	AS105F-150
200	AS105F-200
250	AS105F-250
300	AS105F-300

FRV PVC CLEAR Y STRAINER

FIP CLEAR U-PVC TRUE UNION RV Y STRAINER PN16 RATED (@20°C) EPDM O-RINGS



Available on Request

Viton Seals

PP Body

C-PVC Body

DN	AVFI CODE	SOLVENT WELD		BSP	
		NETT \$	AVFI CODE	NETT \$	AVFI CODE
10	FRVULT 160	POA	FRVUFT 160		
15	FRVULT 200	82.49	FRVUFT 200		
20	FRVULT 250	94.80	FRVUFT 250		
25	FRVULT 320	130.51	FRVUFT 320		
32	FRVULT 400	171.14	FRVUFT 400		
40	FRVULT 500	214.23	FRVUFT 500		
50	FRVULT 630	277.02	FRVUFT 630		
65	N/A		FRVFT 750		
80	N/A		FRVFT 900		
100	N/A		FRVFT 910		

Globe & Needle Valves

VTGL STAINLESS STEEL BSP GLOBE VALVE

GLOBE VALVE 316 STAINLESS STEEL BSP 200PSI
HANDWHEEL OPERATED



DN	AVFI CODE
15	VTGL-316-PP-015
20	VTGL-316-PP-020
25	VTGL-316-PP-025
32	VTGL-316-PP-032
40	VTGL-316-PP-040
50	VTGL-316-PP-050

VTNE STAINLESS STEEL BSP NEEDLE VALVE

NEEDLE VALVE 6000 PSI 316 STAINLESS STEEL T-BAR
HANDLE BSPP ENDS



DN	AVFI CODE
8	VTNE-316-PP-008
10	VTNE-316-PP-010
15	VTNE-316-PP-015
20	VTNE-316-PP-020
25	VTNE-316-PP-025

Diaphragm Valves

FVM UPVC DIAPHRAGM VALVES

FIP UPVC BODY, EPDM DIAPHRAGM, BS SPIGOT
WELD ENDS, PN10



Available on Request

Viton Diaphragm

C-PVC Body

PVDF Body

PP Body

PTFE Diaphragm

DN	AVFI CODE
15	FVMYV 200
20	FVMYV 250
25	FVMYV 320
32	FVMYV 400
40	FVMYV 500
50	FVMYV 630
80	FVMMV 900
100	FVMMV 910

Water Meters

OMEGA FLANGED WATER METER

TABLE E FLANGE CAST IRON WATER METER, FBE COATED, C/W WITH REED SWITCH



Available on Request

Hot Water Meters

DN	AVFI CODE
50	OMEGA-050
65	OMEGA-065
80	OMEGA-080
100	OMEGA-100
150	OMEGA-150
200	OMEGA-200
250	OMEGA-250
300	OMEGA-300

BETA BSP COLD WATER METER

BSP CAST IRON WATER METER, FBE COATED, C/W WITH REED SWITCH



DN	AVFI CODE
15	BETA-SDC-15
20	BETA-SDC-20
25	BETA-SDC-25
32	BETA-SDC-32
40	BETA-SDC-40
50	BETA-SDC-50

BETA BSP HOT WATER METER

BSP CAST IRON WATER METER, FBE COATED, C/W WITH REED SWITCH



DN	AVFI CODE
15	BETA-SDC-HOT-15
20	BETA-SDC-HOT-20
25	BETA-SDC-HOT-25
32	BETA-SDC-HOT-32
40	BETA-SDC-HOT-40
50	BETA-SDC-HOT-50

Solenoid Valves

ASLP NORMALLY CLOSED BRASS SOLENOID VALVE

NORMALLY CLOSED BRASS SOLENOID VALVE. VITON
DIAPHRAGM, PN16, PILOT ASSISTED



	24VDC	24VAC
DN	AVFI CODE	AVFI CODE
15	ASLP-15-24VDC	ASLP-15-24VAC
20	ASLP-20-24VDC	ASLP-20-24VAC
25	ASLP-25-24VDC	ASLP-25-24VAC
32	ASLP-32-24VDC	ASLP-32-24VAC
40	ASLP-40-24VDC	ASLP-40-24VAC
50	ASLP-50-24VDC	ASLP-50-24VAC

	12VDC	240VAC
DN	AVFI CODE	AVFI CODE
15	ASLP-15-12VDC	ASLP-15-240VAC
20	ASLP-20-12VDC	ASLP-20-240VAC
25	ASLP-25-12VDC	ASLP-25-240VAC
32	ASLP-32-12VDC	ASLP-32-240VAC
40	ASLP-40-12VDC	ASLP-40-240VAC
50	ASLP-50-12VDC	ASLP-50-240VAC

Solenoid Valves

ASLPH NORMALLY OPEN BRASS SOLENOID VALVE NORMALLY OPEN BRASS SOLENOID VALVE. VITON DIAPHRAGM, PN13, PILOT ASSISTED



	24VDC	24VAC
DN	AVFI CODE	AVFI CODE
15	ASLPH-15-24VDC	ASLPH-15-24VAC
20	ASLPH-20-24VDC	ASLPH-20-24VAC
25	ASLPH-25-24VDC	ASLPH-25-24VAC
32	ASLPH-32-24VDC	ASLPH-32-24VAC
40	ASLPH-40-24VDC	ASLPH-40-24VAC
50	ASLPH-50-24VDC	ASLPH-50-24VAC

	12VDC	240VAC
DN	AVFI CODE	AVFI CODE
15	ASLPH-15-12VDC	ASLPH-15-240VAC
20	ASLPH-20-12VDC	ASLPH-20-240VAC
25	ASLPH-25-12VDC	ASLPH-25-240VAC
32	ASLPH-32-12VDC	ASLPH-32-240VAC
40	ASLPH-40-12VDC	ASLPH-40-240VAC
50	ASLPH-50-12VDC	ASLPH-50-240VAC

Solenoid Valves

ASLP-316 NORMALLY CLOSED STAINLESS STEEL SOLENOID VALVE

NORMALLY OPEN STAINLESS STEEL SOLENOID VALVE.
VITON DIAPHRAGM, PN13, PILOT ASSISTED



24VDC

24VAC

DN	AVFI CODE	AVFI CODE
15	ASLP-316-15-24VDC	ASLP-316-15-24VAC
20	ASLP-316-20-24VDC	ASLP-316-20-24VAC
25	ASLP-316-25-24VDC	ASLP-316-25-24VAC
32	ASLP-316-32-24VDC	ASLP-316-32-24VAC
40	ASLP-316-40-24VDC	ASLP-316-40-24VAC
50	ASLP-316-50-24VDC	ASLP-316-50-24VAC

12VDC

240VAC

DN	AVFI CODE	AVFI CODE
15	ASLP-316-15-12VDC	ASLP-316-15-240VAC
20	ASLP-316-20-12VDC	ASLP-316-20-240VAC
25	ASLP-316-25-12VDC	ASLP-316-25-240VAC
32	ASLP-316-32-12VDC	ASLP-316-32-240VAC
40	ASLP-316-40-12VDC	ASLP-316-40-240VAC
50	ASLP-316-50-12VDC	ASLP-316-50-240VAC

Actuation

FVKD FIP UVPC TESTED CHEMICAL 2 WAY BALL VALVE WITH ELECTRIC ACTUATOR

FIP U-PVC DOUBLE UNION VKD SERIES BALL VALVE PN16 RATED WITH PTFE SEAT AND EPDM O-RINGS FITTED WITH ELECTRIC ACTUATOR.



Voltages Available*
12VDC
24VDC
24VAC
110VAC
240VAC
415VAC

DN	SOLVENT WELD	BSP
	AVFI CODE	AVFI CODE
15	FVKDLV-EL-015	FVKDFV-EL-015
20	FVKDLV-EL-020	FVKDFV-EL-020
25	FVKDLV-EL-025	FVKDFV-EL-025
32	FVKDLV-EL-032	FVKDFV-EL-032
40	FVKDLV-EL-040	FVKDFV-EL-040
50	FVKDLV-EL-050	FVKDFV-EL-050
65	FVKDLV-EL-065	FVKDFV-EL-065
80	FVKDLV-EL-080	FVKDFV-EL-080
100	FVKDLV-EL-100	FVKDFV-EL-100

***PLEASE SELECT VOLTAGE WHEN ORDERING**

FVKD FIP UVPC SOLEVENT WELD TESTED CHEMICAL 2 WAY BALL VALVE WITH PNEUMATIC ACTUATOR

FIP U-PVC SOLVENT WELD, DOUBLE UNION VKD SERIES BALL VALVE, PN16 RATED WITH PTFE SEAT AND EPDM O-RINGS FITTED WITH PNEUMATIC DOUBLE ACTING OR SPRING RETURN ACTUATOR.



DN	DOUBLE ACTING	SPRING RETURN
	AVFI CODE	AVFI CODE
15	FVKDLV-PNU-DA-015	FVKDLV-PNU-SR-015
20	FVKDLV-PNU-DA-020	FVKDLV-PNU-SR-020
25	FVKDLV-PNU-DA-025	FVKDLV-PNU-SR-025
32	FVKDLV-PNU-DA-032	FVKDLV-PNU-SR-032
40	FVKDLV-PNU-DA-040	FVKDLV-PNU-SR-040
50	FVKDLV-PNU-DA-050	FVKDLV-PNU-SR-050
65	FVKDLV-PNU-DA-065	FVKDLV-PNU-SR-065
80	FVKDLV-PNU-DA-080	FVKDLV-PNU-SR-080
100	FVKDLV-PNU-DA-100	FVKDLV-PNU-SR-100

Actuation

FVKD FIP UVPC BSP TESTED CHEMICAL 2 WAY BALL VALVE WITH PNEUMATIC ACTUATOR

FIP U-PVC BSP, DOUBLE UNION VKD SERIES BALL VALVE, PN16 RATED WITH PTFE SEAT AND EPDM O-RINGS FITTED WITH PNEUMATIC DOUBLE ACTING OR SPRING RETURN ACTUATOR.



DN	DOUBLE ACTING	SPRING RETURN
	AVFI CODE	AVFI CODE
15	FVKDFV-PNU-DA-015	FVKDFV-PNU-SR-015
20	FVKDFV-PNU-DA-020	FVKDFV-PNU-SR-020
25	FVKDFV-PNU-DA-025	FVKDFV-PNU-SR-025
32	FVKDFV-PNU-DA-032	FVKDFV-PNU-SR-032
40	FVKDFV-PNU-DA-040	FVKDFV-PNU-SR-040
50	FVKDFV-PNU-DA-050	FVKDFV-PNU-SR-050
65	FVKDFV-PNU-DA-065	FVKDFV-PNU-SR-065
80	FVKDFV-PNU-DA-080	FVKDFV-PNU-SR-080
100	FVKDFV-PNU-DA-100	FVKDFV-PNU-SR-100

FTKD FIP UVPC SOLVENT WELD TESTED CHEMICAL 3 WAY BALL VALVE T-PORT AND L-PORT WITH ELECTRIC ACTUATOR

FIP U-PVC SOLVENT WELD TKD SERIES BALL VALVE PN16 RATED WITH PTFE SEATS AND EPDM O-RINGS, T-PORT OR L-PORT, FITTED WITH ELECTRIC ACTUATOR.



Voltages Available*
12VDC
24VDC
24VAC
110VAC
240VAC
415VAC

DN	T-PORT	L-PORT
	AVFI CODE	AVFI CODE
15	FTKLV-T-EL-015	FTKLV-L-EL-015
20	FTKLV-T-EL-020	FTKLV-L-EL-020
25	FTKLV-T-EL-025	FTKLV-L-EL-025
32	FTKLV-T-EL-032	FTKLV-L-EL-032
40	FTKLV-T-EL-040	FTKLV-L-EL-040
50	FTKLV-T-EL-050	FTKLV-L-EL-050

***PLEASE SELECT VOLTAGE WHEN ORDERING**

FTKD FIP UVPC BSP TESTED CHEMICAL 3 WAY BALL VALVE T-PORT AND L-PORT WITH ELECTRIC ACTUATOR

FIP U-PVC BSP TKD SERIES BALL VALVE PN16 RATED WITH PTFE SEATS AND EPDM O-RINGS, T-PORT OR L-PORT, FITTED WITH ELECTRIC ACTUATOR.



Voltages Available*

12VDC
24VDC
24VAC
110VAC
240VAC
415VAC

DN	T-PORT	L-PORT
	AVFI CODE	AVFI CODE
15	FTKFV-T-EL-015	FTKFV-L-EL-015
20	FTKFV-T-EL-020	FTKFV-L-EL-020
25	FTKFV-T-EL-025	FTKFV-L-EL-025
32	FTKFV-T-EL-032	FTKFV-L-EL-032
40	FTKFV-T-EL-040	FTKFV-L-EL-040
50	FTKFV-T-EL-050	FTKFV-L-EL-050

*PLEASE SELECT VOLTAGE WHEN ORDERING

FTKD FIP UVPC SOLVENT WELD TESTED CHEMICAL 3 WAY BALL VALVE T-PORT AND L-PORT WITH DA PNEUMATIC ACTUATOR

FIP U-PVC SOLVENT WELD TKD SERIES BALL VALVE PN16 RATED WITH PTFE SEATS AND EPDM O-RINGS, T-PORT OR L-PORT, FITTED WITH PNEUMATIC DA ACTUATOR.



DN	T-PORT	L-PORT
	AVFI CODE	AVFI CODE
15	FTKLV-T-PNU-DA-015	FTKLV-L-PNU-DA-015
20	FTKLV-T-PNU-DA-020	FTKLV-L-PNU-DA-020
25	FTKLV-T-PNU-DA-025	FTKLV-L-PNU-DA-025
32	FTKLV-T-PNU-DA-032	FTKLV-L-PNU-DA-032
40	FTKLV-T-PNU-DA-040	FTKLV-L-PNU-DA-040
50	FTKLV-T-PNU-DA-050	FTKLV-L-PNU-DA-050

FTKD FIP UVPC BSP TESTED CHEMICAL 3 WAY BALL VALVE T-PORT AND L-PORT WITH DA PNEUMATIC ACTUATOR

FIP U-PVC BSP TKD SERIES BALL VALVE PN16 RATED WITH PTFE SEATS AND EPDM O-RINGS, T-PORT OR L-PORT, FITTED WITH PNEUMATIC DA ACTUATOR.



DN	T-PORT	L-PORT
	AVFI CODE	AVFI CODE
15	FTKFV-T-PNU-DA-015	FTKFV-L-PNU-DA-015
20	FTKFV-T-PNU-DA-020	FTKFV-L-PNU-DA-020
25	FTKFV-T-PNU-DA-025	FTKFV-L-PNU-DA-025
32	FTKFV-T-PNU-DA-032	FTKFV-L-PNU-DA-032
40	FTKFV-T-PNU-DA-040	FTKFV-L-PNU-DA-040
50	FTKFV-T-PNU-DA-050	FTKFV-L-PNU-DA-050

Actuation

FTKD FIP UVPC SOLVENT WELD TESTED CHEMICAL 3 WAY BALL VALVE T-PORT AND L-PORT WITH SR PNEUMATIC ACTUATOR

FIP U-PVC SOLVENT WELD TKD SERIES BALL VALVE PN16 RATED WITH PTFE SEATS AND EPDM O-RINGS, T-PORT OR L-PORT, FITTED WITH PNEUMATIC SR ACTUATOR.



DN	T-PORT	L-PORT
	AVFI CODE	AVFI CODE
15	FTKLV-T-PNU-SR-015	FTKLV-L-PNU-SR-015
20	FTKLV-T-PNU-SR-020	FTKLV-L-PNU-SR-020
25	FTKLV-T-PNU-SR-025	FTKLV-L-PNU-SR-025
32	FTKLV-T-PNU-SR-032	FTKLV-L-PNU-SR-032
40	FTKLV-T-PNU-SR-040	FTKLV-L-PNU-SR-040
50	FTKLV-T-PNU-SR-050	FTKLV-L-PNU-SR-050

FTKD FIP UVPC BSP TESTED CHEMICAL 3 WAY BALL VALVE T-PORT AND L-PORT WITH SR PNEUMATIC ACTUATOR

FIP U-PVC BSP TKD SERIES BALL VALVE PN16 RATED WITH PTFE SEATS AND EPDM O-RINGS, T-PORT OR L-PORT, FITTED WITH PNEUMATIC SR ACTUATOR.



DN	T-PORT	L-PORT
	AVFI CODE	AVFI CODE
15	FTKLV-T-PNU-SR-015	FTKLV-L-PNU-SR-015
20	FTKLV-T-PNU-SR-020	FTKLV-L-PNU-SR-020
25	FTKLV-T-PNU-SR-025	FTKLV-L-PNU-SR-025
32	FTKLV-T-PNU-SR-032	FTKLV-L-PNU-SR-032
40	FTKLV-T-PNU-SR-040	FTKLV-L-PNU-SR-040
50	FTKLV-T-PNU-SR-050	FTKLV-L-PNU-SR-050

FFEOV UPVC WAFER BUTTERFLY WITH ELECTRIC ACTUATOR

FIP UPVC BODY & DISC, EPDM LINED TABLE D/E/ANSI WAFER BUTTERFLY VALVE, FITTED WITH ELECTRIC ACTUATOR, PN16 RATED @ 20°C



Voltages Available*
12VDC
24VDC
24VAC
110VAC
240VAC
415VAC

DN	AVFI CODE
50	FFEOV-EL-050
65	FFEOV-EL-065
80	FFEOV-EL-080
100	FFEOV-EL-100
150	FFEOV-EL-150
200	FFEOV-EL-200
250	FFEOV-EL-250
300	FFEOV-EL-300

***PLEASE SELECT VOLTAGE WHEN ORDERING**

Actuation

FFEOV UPVC WAFER BUTTERFLY WITH PNEUMATIC ACTUATOR

FIP UPVC BODY & DISC, EPDM LINED TABLE D/E/ANSI WAFER BUTTERFLY VALVE, FITTED WITH PNEUMATIC DA OR SR ACTUATOR, PN16 RATED @ 20°C



DN	DOUBLE ACTING	SPRING RETURN
	AVFI CODE	AVFI CODE
50	FFEOV-PNU-DA-050	FFEOV-PNU-SR-050
65	FFEOV-PNU-DA-065	FFEOV-PNU-SR-065
80	FFEOV-PNU-DA-080	FFEOV-PNU-SR-080
100	FFEOV-PNU-DA-100	FFEOV-PNU-SR-100
150	FFEOV-PNU-DA-150	FFEOV-PNU-SR-150
200	FFEOV-PNU-DA-200	FFEOV-PNU-SR-200
250	FFEOV-PNU-DA-250	FFEOV-PNU-SR-250
300	FFEOV-PNU-DA-300	FFEOV-PNU-SR-300

V3MH STAINLESS STEEL 3 PIECE BALL VALVE WITH ELECTRIC ACTUATOR

BSP 3 PIECE STAINLESS STEEL BALL VALVE BSP 1000 PSI FULL BORE FITTED WITH ELECTRIC ACTUATOR.



Voltages Available*
12VDC
24VDC
24VAC
110VAC
240VAC
415VAC

DN	AVFI CODE
15	V3MH-EL-015
20	V3MH-EL-020
25	V3MH-EL-025
32	V3MH-EL-032
40	V3MH-EL-040
50	V3MH-EL-050
65	V3MH-EL-065
80	V3MH-EL-080
100	V3MH-EL-100

***PLEASE SELECT VOLTAGE WHEN ORDERING**

Actuation

V3MH STAINLESS STEEL 3 PIECE BALL VALVE WITH PNEUMATIC ACTUATOR

BSP 3 PIECE STAINLESS STEEL BALL VALVE BSP 1000 PSI
FULL BORE FITTED WITH PNEUMATIC SR OR DA ACTUATOR



DN	DOUBLE ACTING	SPRING RETURN
	AVFI CODE	AVFI CODE
15	V3MH-PNU-DA-015	V3MH-PNU-SR-015
20	V3MH-PNU-DA-020	V3MH-PNU-SR-020
25	V3MH-PNU-DA-025	V3MH-PNU-SR-025
32	V3MH-PNU-DA-032	V3MH-PNU-SR-032
40	V3MH-PNU-DA-040	V3MH-PNU-SR-040
50	V3MH-PNU-DA-050	V3MH-PNU-SR-050
65	V3MH-PNU-DA-065	V3MH-PNU-SR-065
80	V3MH-PNU-DA-080	V3MH-PNU-SR-080
100	V3MH-PNU-DA-100	V3MH-PNU-SR-100
150	V3MH-PNU-DA-100	V3MH-PNU-SR-100

V2FH STAINLESS STEEL 2 PIECE BALL VALVE WITH ELECTRIC ACTUATOR

2 PIECE ANSI RATED FULL BORE BALL VALVE, ANTI-STATIC
DEVICE, DRILLED TABLE D, FITTED WITH ELECTRIC
ACTUATOR



Voltages Available*
12VDC
24VDC
24VAC
110VAC
240VAC
415VAC
Available on Request*
Table E & ANSI 150 Drilling

DN	AVFI CODE
20	V2FH-EL-020
25	V2FH-EL-025
40	V2FH-EL-040
50	V2FH-EL-050
65	V2FH-EL-065
80	V2FH-EL-080
100	V2FH-EL-100
150	V2FH-EL-150

***PLEASE SELECT VOLTAGE AND DRILLING PATTERN WHEN**

V2FH STAINLESS STEEL 2 PIECE BALL VALVE WITH PNEUMATIC ACTUATOR

2 PIECE ANSI RATED FULL BORE BALL VALVE, ANTI-STATIC DEVICE, DRILLED TABLE D, FITTED WITH PNEUMATIC DA OR SR ACTUATOR



Available on Request*

Table E & ANSI 150 Drilling

DOUBLE ACTING
SPRING RETURN

DN	AVFI CODE	AVFI CODE
20	V2FH-PNU-DA-020	V2FH-PNU-SR-020
25	V2FH-PNU-DA-025	V2FH-PNU-SR-025
40	V2FH-PNU-DA-040	V2FH-PNU-SR-040
50	V2FH-PNU-DA-050	V2FH-PNU-SR-050
65	V2FH-PNU-DA-065	V2FH-PNU-SR-065
80	V2FH-PNU-DA-080-D	V2FH-PNU-SR-080
100	V2FH-PNU-DA-100-D	V2FH-PNU-SR-100-D
150	V2FH-PNU-DA-150	V2FH-PNU-SR-150

3WAY-PPMH STAINLESS STEEL 3 WAY BALL VALVE WITH ELECTRIC ACTUATOR

BSP 3 WAY REDUCED BORE 316 STAINLESS STEEL BALL VALVE, 1000 PSI, L-PORT OR T-PORT, FITTED WITH ELECTRIC ACTUATOR



Voltages Available*

12VDC

24VDC

24VAC

110VAC

240VAC

415VAC

T-PORT
L-PORT

DN	AVFI CODE	AVFI CODE
15	3WAYT-PPMH-EL-015	3WAYL-PPMH-EL-015
20	3WAYT-PPMH-EL-020	3WAYL-PPMH-EL-020
25	3WAYT-PPMH-EL-025	3WAYL-PPMH-EL-025
32	3WAYT-PPMH-EL-025	3WAYL-PPMH-EL-032
40	3WAYT-PPMH-EL-040	3WAYL-PPMH-EL-040
50	3WAYT-PPMH-EL-050	3WAYL-PPMH-EL-050

*PLEASE SELECT VOLTAGE WHEN ORDERING

3WAY-PPMH STAINLESS STEEL L-PORT BALL VALVE WITH PNEUMATIC ACTUATOR

BSP 3 WAY REDUCED BORE 316 STAINLESS STEEL BALL VALVE, 1000 PSI, L-PORT FITTED WITH PNEUMATIC DA OR SR ACTUATOR


DOUBLE ACTING
SPRING RETURN

DN	AVFI CODE	AVFI CODE
15	3WAYL-PPMH-PNU-DA-015	3WAYL-PPMH-PNU-SR-015
20	3WAYL-PPMH-PNU-DA-020	3WAYL-PPMH-PNU-SR-020
25	3WAYL-PPMH-PNU-DA-025	3WAYL-PPMH-PNU-SR-025
32	3WAYL-PPMH-PNU-DA-032	3WAYL-PPMH-PNU-SR-032
40	3WAYL-PPMH-PNU-DA-040	3WAYL-PPMH-PNU-SR-040
50	3WAYL-PPMH-PNU-DA-050	3WAYL-PPMH-PNU-SR-050

Actuation

3WAY-PPMH STAINLESS STEEL T-PORT BALL VALVE WITH PNEUMATIC ACTUATOR

BSP 3 WAY REDUCED BORE 316 STAINLESS STEEL BALL VALVE, 1000 PSI, T-PORT FITTED WITH PNEUMATIC DA OR SR ACTUATOR



DN	DOUBLE ACTING	SPRING RETURN
	AVFI CODE	AVFI CODE
15	3WAYT-PPMH-PNU-DA-015	3WAYT-PPMH-PNU-SR-015
20	3WAYT-PPMH-PNU-DA-020	3WAYT-PPMH-PNU-SR-020
25	3WAYT-PPMH-PNU-DA-025	3WAYT-PPMH-PNU-SR-025
32	3WAYT-PPMH-PNU-DA-032	3WAYT-PPMH-PNU-SR-032
40	3WAYT-PPMH-PNU-DA-040	3WAYT-PPMH-PNU-SR-040
50	3WAYT-PPMH-PNU-DA-050	3WAYT-PPMH-PNU-SR-050

AB30 DUCTILE IRON SEAL ON BODY BUTTERFLY VALVE WITH ELECTRIC ACTUATOR

BUTTERFLY VALVE, WATERMARK APPROVED, DUCTILE IRON FBE BODY, SS316 DISC, EPDM LINER, PN16 RATED, WAFER OR LUGGED, FITTED WITH ELECTRIC ACTUATOR



Voltages Available*
12VDC
24VDC
24VAC
110VAC
240VAC
415VAC
Options Available*
Table D Lugged

DN	WAFER	LUGGED T/E
	AVFI CODE	AVFI CODE
50	AB30W-EL-050	AB30L-EL-050
65	AB30W-EL-065	AB30L-EL-065
80	AB30W-EL-080	AB30L-EL-080
100	AB30W-EL-100	AB30L-EL-100
125	AB30W-EL-125	AB30L-EL-125
150	AB30W-EL-150	AB30L-EL-150
200	AB30W-EL-200	AB30L-EL-200
250	AB30W-EL-250	AB30L-EL-250
300	AB30W-EL-300	AB30L-EL-300

***PLEASE SELECT VOLTAGE WHEN ORDERING**

AB10 CAST IRON SEAL ON BODY BUTTERFLY VALVE WITH ELECTRIC ACTUATOR

BUTTERFLY VALVE, CAST IRON BODY, SS316 DISC, EPDM LINER, PN10 RATED, WAFER OR LUGGED, FITTED WITH ELECTRIC ACTUATOR



Voltages Available*
12VDC
24VDC
24VAC
110VAC
240VAC
415VAC

DN	WAFER	LUGGED T/E
	AVFI CODE	AVFI CODE
350	AB10W-EL-350	AB10L-EL-350
400	AB10W-EL-400	AB10L-EL-400
450	AB10W-EL-450	AB10L-EL-450
500	AB10W-EL-500	AB10L-EL-500
600	AB10W-EL-600	AB10L-EL-600

***PLEASE SELECT VOLTAGE WHEN ORDERING**

Actuation

AB30 DUCTILE IRON SEAL ON BODY WAFER BUTTERFLY VALVE WITH PNEUMATIC ACTUATOR

AB30 WAFER BUTTERFLY VALVE, WATERMARK APPROVED, DUCTILE IRON FBE BODY, SS316 DISC, EPDM LINER, PN16 RATED, WAFER, FITTED PNEUMATIC DA OR SR ACTUATOR



DN	DOUBLE ACTING	SPRING RETURN
	AVFI CODE	AVFI CODE
50	AB30W-PNU-DA-050	AB30W-PNU-SR-050
65	AB30W-PNU-DA-065	AB30W-PNU-SR-065
80	AB30W-PNU-DA-080	AB30W-PNU-SR-080
100	AB30W-PNU-DA-100	AB30W-PNU-SR-100
125	AB30W-PNU-DA-125	AB30W-PNU-SR-125
150	AB30W-PNU-DA-150	AB30W-PNU-SR-150
200	AB30W-PNU-DA-200	AB30W-PNU-SR-200
250	AB30W-PNU-DA-250	AB30W-PNU-SR-250
300	AB30W-PNU-DA-300	AB30W-PNU-SR-300

AB30 DUCTILE IRON SEAL ON BODY LUGGED BUTTERFLY VALVE WITH PNEUMATIC ACTUATOR

AB30 LUGGED BUTTERFLY VALVE, WATERMARK APPROVED, DUCTILE IRON FBE BODY, SS316 DISC, EPDM LINER, PN16 RATED, WAFER, FITTED PNEUMATIC DA OR SR ACTUATOR



Options Available

Table D Lugged

DN	DOUBLE ACTING	SPRING RETURN
	AVFI CODE	AVFI CODE
50	AB30L-PNU-DA-050	AB30L-PNU-SR-050
65	AB30L-PNU-DA-065	AB30L-PNU-SR-065
80	AB30L-PNU-DA-080	AB30L-PNU-SR-080
100	AB30L-PNU-DA-100	AB30L-PNU-SR-100
125	AB30L-PNU-DA-125	AB30L-PNU-SR-125
150	AB30L-PNU-DA-150	AB30L-PNU-SR-150
200	AB30L-PNU-DA-200	AB30L-PNU-SR-200
250	AB30L-PNU-DA-250	AB30L-PNU-SR-250
300	AB30L-PNU-DA-300	AB30L-PNU-SR-300

Actuation

AB10 CAST IRON SEAL ON BODY WAFER BUTTERFLY VALVE WITH PNEUMATIC ACTUATOR

AB10 WAFER BUTTERFLY VALVE, CAST IRON BODY, SS316 DISC, EPDM LINER, PN10 RATED, FITTED WITH PNEUMATIC DA OR SR ACTUATOR



DN	DOUBLE ACTING	SPRING RETURN
	AVFI CODE	AVFI CODE
350	AB10W-PNU-DA-350-PN10	AB10W-PNU-SR-350-PN10
400	AB10W-PNU-DA-400-PN10	AB10W-PNU-SR-400-PN10
450	AB10W-PNU-DA-450-PN10	AB10W-PNU-SR-450-PN10
500	AB10W-PNU-DA-500-PN10	AB10W-PNU-SR-500-PN10
600	AB10W-PNU-DA-600-PN10	AB10W-PNU-SR-600-PN10

AB10 CAST IRON SEAL ON BODY WAFER BUTTERFLY VALVE WITH PNEUMATIC ACTUATOR

AB10 WAFER BUTTERFLY VALVE, CAST IRON BODY, SS316 DISC, EPDM LINER, PN16 RATED, FITTED WITH PNEUMATIC DA OR SR ACTUATOR



DN	DOUBLE ACTING	SPRING RETURN
	AVFI CODE	AVFI CODE
350	AB10W-PNU-DA-350-PN16	AB10W-PNU-SR-350-PN16
400	AB10W-PNU-DA-400-PN16	AB10W-PNU-SR-400-PN16
450	AB10W-PNU-DA-450-PN16	AB10W-PNU-SR-450-PN16
500	AB10W-PNU-DA-500-PN16	AB10W-PNU-SR-500-PN16
600	AB10W-PNU-DA-600-PN16	AB10W-PNU-SR-600-PN16

AB10 CAST IRON SEAL ON BODY LUGGED BUTTERFLY VALVE WITH PNEUMATIC ACTUATOR

AB10 LUGGED T/E BUTTERFLY VALVE, CAST IRON BODY, SS316 DISC, EPDM LINER, PN10 RATED, FITTED WITH PNEUMATIC DA OR SR ACTUATOR



Options Available

Table D Lugged

DN	DOUBLE ACTING	SPRING RETURN
	AVFI CODE	AVFI CODE
350	AB10L-PNU-DA-350-PN10	AB10L-PNU-SR-350-PN10
400	AB10L-PNU-DA-400-PN10	AB10L-PNU-SR-400-PN10
450	AB10L-PNU-DA-450-PN10	AB10L-PNU-SR-450-PN10
500	AB10L-PNU-DA-500-PN10	AB10L-PNU-SR-500-PN10
600	AB10L-PNU-DA-600-PN10	AB10L-PNU-SR-600-PN10

**KGV-XDV-UDH STAINLESS STEEL KNIFE GATE VALVE
WITH DOUBLE ACTING PNEUMATIC ACTUATOR**

PN10 RATED, RESILIENT SEATED (Viton), SS316 STAINLESS STEEL KNIFE GATE VALVE, LUGGED TO SUIT AS4087 CL16, FITTED WITH DOUBLE ACTING ACTUATOR



DN	AVFI CODE
80	KGV-XDV-UDH-DA-080
100	KGV-XDV-UDH-DA-100
150	KGV-XDV-UDH-DA-150
200	KGV-XDV-UDH-DA-200
250	KGV-XDV-UDH-DA-250
300	KGV-XDV-UDH-DA-300
350-600	KGV-XDV-UDH-DA-SIZE

Actuator Accessories

AP-510F3 NAMUR SOLENOID
AIRPOWER SOLENOID, BLACK DIN PLUG



AVFI CODE

AP-510F3C0-12VDC

AP-510F3C0-240VAC

AP-510F3C0-24VAC

AP-510F3C0-24VDC

AP-510P2 STAND ALONE SOLENOID
AIRPOWER STAND ALONE SOLENOID, BLACK DIN PLUG



AVFI CODE

AP-510P2C0-12VDC

AP-510P2C0-240VAC

AP-510P2C0-24VAC

AP-510P2C0-24VDC

AP-200 AIRPOWER LIMIT SWITCH BOX WITH BRACKET
2 WIRE LIMIT SWITCH BOX, OPEN/ CLOSE WITH DOME INDICATOR, TO SUIT ACTUATORS APD52-APD160



AVFI CODE

AP-200M2

AP-300 PROXIMITY SWITCH BOX



AVFI CODE

AP-300PA

AP-500 EXPLOSION PROOF PROXIMITY SWITCH



AVFI CODE

AP-500PP

Actuator Accessories

AP-1000 ELECTRO-PNEUMATIC POSITIONER



AVFI CODE

AP-1000RDM

AP-1200 PNEUMATIC POSITIONER



AVFI CODE

AP-1200RDN

FPOWERQ FVKD BALL VALVE MOUNT K



AVFI CODE

FPOWERQ 200

FPOWERQ 250

FPOWERQ 320

FPOWERQ 400

FPOWERQ 500

FPOWERQ 630

FPOWERQ 750-910

Control Valves

SRV BRONZE SAFETY RELIEF VALVE

PTFE SEAT WITH STAINLESS STEEL SPRING, 1 - 12 BAR
SETTING RANGE, BSP CONNECTION



Available on Request

10-20 BAR Setting range

Metal Seat

DN	AVFI CODE
15	SRV15
20	SRV20
25	SRV25
32	SRV32
40	SRV40
50	SRV50

SRV-SS STAINLESS STEEL SAFETY RELIEF VALVE

METAL SEAT WITH STAINLESS STEEL SPRING, 1 - 12 BAR
SETTING RANGE, BSP CONNECTION



Available on Request

10-20 BAR Setting range

21-30 BAR Setting range HPX model

PTFE Seat

DN	AVFI CODE
15	SRV-SS-15
20	SRV-SS-20
25	SRV-SS-25
32	SRV-SS-32
40	SRV-SS-40
50	SRV-SS-50

SRV-L BRONZE SAFETY RELIEF VALVE WITH MANUAL LEVER

PTFE SEAT WITH STAINLESS STEEL SPRING, 1 - 12 BAR
SETTING RANGE, BSP CONNECTION



Available on Request

10-20 BAR Setting range

Metal Seat

DN	AVFI CODE
15	SRV-L-15
20	SRV-L-20
25	SRV-L-25
32	SRV-L-32
40	SRV-L-40
50	SRV-L-50

Control Valves

DRV BRASS PRESSURE REDUCING VALVE

MAXIMUM INLET PRESSURE 2500 KPA, OUTLET RANGE 100 - 600 KPA. BSP



DN	AVFI CODE
15	DRV15
20	DRV20
25	DRV25
32	DRV32
40	DRV40
50	DRV50

DHV-712 U-PVC PRESSURE RELIEF / SUSTAINING VALVE

STUBBE DHV712 PRESSURE RELIEF VALVE, UPVC BODY & ENDS, PTFE DIAPHRAGM, EPDM O-RINGS, S/W ENDS, WITH SETTING RANGE 0.5-10 BAR



Available on Request

Viton O-Rings

BSP Ends

DN	AVFI CODE
15	DHV-712-200-R
20	DHV-712-250-R
25	DHV-712-320-R
32	DHV-712-400-R
40	DHV-712-500-R
50	DHV-712-630-R

Contact AVFI for all your Valve Solutions

Melbourne, Sydney, Brisbane, Perth, Hobart, Adelaide, Darwin

Email: sales@avfi.com.au Website: www.avfi.com.au

Phone: 1300 789 256 Fax: 03 8467 0099

Review Date 31/12/2022